

Bosch								
	Flow			Rating @		.42 BSFC - Est. HP Duty Cycle		.47 BSFC Duty Cycle
Part Number	lbs/hr	cc/min	grams/min	PSI	BARS	80%	95%	80%
0-280-150-001	25. helmi	264.9	190.5	43.5	3.00	48.0	57.0	42.9
0-280-150-002	25. helmi	264.9	190.5	43.5	3.00	48.0	57.0	42.9
0-280-150-003	36.15	379.9	273.3	43.5	3.00	68.9	81.8	61.5
0-280-150-007	25. helmi	264.9	190.5	43.5	3.00	48.0	57.0	42.9
0-280-150-009	25. helmi	264.9	190.5	43.5	3.00	48.0	57.0	42.9
0-280-150-014	-	-	-	-	-	-	-	-
0-280-150-015	36.15	379.9	273.3	43.5	3.00	68.9	81.8	61.5
0-280-150-016	-	-	-	-	-	-	-	-
0-280-150-019	-	-	-	-	-	-	-	-
0-280-150-023	-	-	-	-	-	-	-	-
0-280-150-024	36.15	379.9	273.3	43.5	3.00	68.9	81.8	61.5
0-280-150-026	36.15	379.9	273.3	43.5	3.00	68.9	81.8	61.5
0-280-150-034	-	-	-	43.5	-	-	-	-
0-280-150-035	30. touko	320.6	230.6	29	2.00	58.1	69.0	51.9
0-280-150-036	36.15	379.9	273.3	43.5	3.00	68.9	81.8	61.5
0-280-150-038	-	-	-	-	-	-	-	-
0-280-150-041	45.7	480.3	345.5	43.5	3.00	87.0	103	77.8

0-280-150-043	36.15	379.9	273.3	43.5	3.00	68.9	81.8	61.5
0-280-150-044	32.15	337.9	243.0	-	-	61.2	72.7	54.7
0-280-150-045	38.1	400.4	288.0	-	-	72.6	86.2	64.9
0-280-150-065	-	-	-	-	-	-	-	-
0-280-150-070	-	-	-	14. touko	-	-	-	-
0-280-150-071	-	-	-	14. touko	-	-	-	-
0-280-150-100	17. kesä	185.0	133.1	43.5	3.00	33.5	39.8	30.0
0-280-150-105	18. tammi	190.2	136.8	43.5	3.00	34.5	40.9	30. elo
0-280-150-112	-	-	-	-	-	-	-	-
0-280-150-114	18. tammi	190.2	136.8	-	-	34.5	40.9	30. elo
0-280-150-116	18. tammi	190.2	136.8	-	-	34.5	40.9	30. elo

0-280-150-121	16.95	178.1	128.1	43.5	3.00	32.3	38.3	28. syys
0-280-150-123	-	-	-	-	-	-	-	-
0-280-150-124	-	-	-	-	-	-	-	-
0-280-150-125	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-126	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-127	-	-	-	-	-	-	-	-
0-280-150-128	15. syys	167.1	120.2	43.5	3.00	30. maalis	36.0	27. tammi
0-280-150-129	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-130	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-133	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-135	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-136	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-151	22. syys	240.7	173.1	29	2.00	43.6	51.8	39.0

0-280-150-151	29.0	304.8	219.2	43.5	3.00	55.2	65.6	49.4
0-280-150-152	22. touko	236.5	170.1	-	-	42.9	50.9	38.3
0-280-150-154	-	-	-	-	-	-	-	-
0-280-150-157	20. huhti	214.4	154.2	36.25	02.50	38.9	46.1	34.7
0-280-150-158	21. elo	229.1	164.8	-	-	41.5	49.3	37.1
0-280-150-159	24.35	255.9	184.1	-	-	46.4	55.1	41.4
0-280-150-160	17. kesä	185.0	133.1	-	-	33.5	39.8	30.0
0-280-150-163	-	-	-	-	-	-	-	-
0-280-150-164	-	-	-	-	-	-	-	-
0-280-150-165	22. helmi	233.3	167.8	-	-	42.3	50.2	37.8
0-280-150-166	20. maalis	213.4	153.5	43.5	3.00	38.7	45.9	34.6
0-280-150-200	28. kesä	300.6	216.2	43.5	3.00	54.5	64.7	48.7
0-280-150-201	22. touko	236.5	170.1	43.5	3.00	42.9	50.9	38.3

0-280-150-203	17. kesä	185.0	133.1	36.25	02.50	33.5	39.8	30.0
0-280-150-204	16.0	168.2	121.0	36.25	02.50	30. touko	36.2	27. helmi
0-280-150-205	16. helmi	170.3	122.5	36.25	02.50	30. syys	36.6	27. kesä
0-280-150-206	16.0	168.2	121.0	36.25	02.50	30. touko	36.2	27. helmi
0-280-150-207	10. maalis	108.3	77.91	36.25	02.50	19. kesä	23. maalis	17. touko
0-280-150-208	12.65	133.0	95.68	36.25	02.50	24. tammi	28. kesä	21. touko
0-280-150-208	13. heinä	144.0	103.6	39.15	02.70	26. tammi	31.0	23. maalis
0-280-150-209	15. syys	167.1	120.2	36.25	02.50	30. maalis	36.0	27. tammi
0-280-150-209	16.75	176.0	126.6	43.5	3.00	31.9	37.9	28. touko
0-280-150-210	12.65	133.0	95.68	36.25	02.50	24. tammi	28. kesä	21. touko
0-280-150-211	13. syys	146.1	105.1	43.5	3.00	26. touko	31.4	23. heinä
0-280-150-213	33.0	346.8	249.5	43.5	3.00	62.9	74.6	56.2
0-280-150-214	17. syys	188.1	135.3	43.5	3.00	34.1	40.5	30. touko
0-280-150-215	20. huhti	214.4	154.2	36.25	02.50	38.9	46.1	34.7
0-280-150-216	20. huhti	214.4	154.2	36.25	02.50	38.9	46.1	34.7
0-280-150-217	16.0	168.2	121.0	36.25	02.50	30. touko	36.2	27. helmi
0-280-150-218	29. heinä	312.1	224.5	45	03. loka	56.6	67.2	50.6

0-280-150-219	16.0	168.2	121.0	36.25	02.50	30. touko	36.2	27. helmi
0-280-150-220	14. tammi	148.2	106.6	43.5	3.00	26. syys	31.9	24.0
0-280-150-221	14. tammi	148.2	106.6	43.5	3.00	26. syys	31.9	24.0
0-280-150-223	21.35	224.4	161.4	36	02.48	40.7	48.3	36.3
0-280-150-226	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-227	-	-	-	-	-	-	-	-
0-280-150-228	-	-	-	-	-	-	-	-
0-280-150-229	-	-	-	-	-	-	-	-
0-280-150-231	-	-	-	-	-	-	-	-
0-280-150-232	-	-	-	-	-	-	-	-
0-280-150-233	-	-	-	-	-	-	-	-
0-280-150-235	-	-	-	-	-	-	-	-
0-280-150-237	-	-	-	-	-	-	-	-
0-280-150-238	-	-	-	-	-	-	-	-
0-280-150-239	21.35	224.4	161.4	36	02.48	40.7	48.3	36.3
0-280-150-252	-	-	-	-	-	-	-	-
0-280-150-254	24.75	260.1	187.1	36.25	02.50	47.1	56.0	42.1
0-280-150-255	02.35	24.74	17.81	-	-	04.52	05.36	04. touko
0-280-150-335	28. kesä	300.6	216.2	43.5	3.00	54.5	64.7	48.7
0-280-150-351	71.0	746.2	536.8	43.5	3.00	135	160	120

0-280-150-352	-	-	-	-	-	-	-	-
0-280-150-353	-	-	-	-	-	-	-	-
0-280-150-355	37.0	388.9	279.7	-	-	70.5	83.7	63.0
0-280-150-355	28. kesä	300.6	216.2	43.5	3.00	54.5	64.7	48.7
0-280-150-357	28. kesä	300.6	216.2	43.5	3.00	54.5	64.7	48.7
0-280-150-360	-	-	-	-	-	-	-	-
0-280-150-362	-	-	-	-	-	-	-	-
0-280-150-363	-	-	-	-	-	-	-	-

0-280-150-364	-	-	-	-	-	-	-	-
0-280-150-400	41.6	437.2	314.5	43.5	3.00	79.2	94.1	70.8
0-280-150-401	41.6	437.2	314.5	43.5	3.00	79.2	94.1	70.8
0-280-150-402	32.15	337.9	243.0	43.5	3.00	61.2	72.7	54.7
0-280-150-403	47.9	503.4	362.1	43.5	3.00	91.2	108	81.5
0-280-150-413	18.65	196.0	141.0	-	-	35.5	42.2	31. heinä
0-280-150-414	14.65	154.0	110.8	-	-	27. syys	33.1	24. syys
0-280-150-415	18. tammi	190.2	136.8	50.75	03.50	34.5	40.9	30. elo
0-280-150-416	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-417	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-418	25.0	262.8	189.0	-	-	47.6	56.5	42.6
0-280-150-419	18. syys	198.6	142.9	-	-	36.0	42.8	32.2
0-280-150-420	28. syys	303.7	218.5	-	-	55.0	65.4	49.2
0-280-150-421	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-422	24. syys	261.7	188.2	39.15	02.70	47.4	56.3	42.4
0-280-150-423	18.65	196.0	141.0	-	-	35.5	42.2	31. heinä
0-280-150-424	16. touko	173.4	124.7	-	-	31.4	37.3	28. tammi
0-280-150-425	16. touko	173.4	124.7	-	-	31.4	37.3	28. tammi
0-280-150-427	22.95	241.2	173.5	-	-	43.7	51.9	39.1
0-280-150-428	18.65	196.0	141.0	-	-	35.5	42.2	31. heinä

0-280-150-429	18.65	196.0	141.0	-	-	35.5	42.2	31. heinä
0-280-150-431	34.15	358.9	258.2	-	-	65.0	77.2	58.1
0-280-150-432	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-433	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-438	16.25	170.8	122.8	-	-	31.0	36.8	27. heinä
0-280-150-439	16.0	168.2	121.0	-	-	30. touko	36.2	27. helmi
0-280-150-440	23. elo	250.1	179.9	50.75	03.50	45.3	53.8	40.5
0-280-150-441	19. maalis	202.8	145.9	-	-	36.8	43.7	32.9
0-280-150-442	19. maalis	202.8	145.9	-	-	36.8	43.7	32.9
0-280-150-443	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-444	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-445	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-446	16.75	176.0	126.6	-	-	31.9	37.9	28. touko
0-280-150-447	22. syys	240.7	173.1	-	-	43.6	51.8	39.0
0-280-150-448	22. syys	240.7	173.1	-	-	43.6	51.8	39.0
0-280-150-449	22. syys	240.7	173.1	-	-	43.6	51.8	39.0
0-280-150-450	31.9	335.3	241.2	-	-	60.8	72.2	54.3
0-280-150-452	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-453	26.0	273.3	196.6	-	-	49.5	58.8	44.3
0-280-150-454	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0

0-280-150-455	21.0	220.7	158.8	-	-	40.0	47.5	35.7
0-280-150-456	18. helmi	191.3	137.6	-	-	34.7	41.2	31.0
0-280-150-457	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-458	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-459	15. kesä	164.0	117.9	-	-	29. heinä	35.3	26. kesä
0-280-150-460	15. kesä	164.0	117.9	-	-	29. heinä	35.3	26. kesä
0-280-150-461	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-462	22.55	237.0	170.5	-	-	43.0	51.0	38.4
0-280-150-463	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-464	23. heinä	249.1	179.2	-	-	45.1	53.6	40.3
0-280-150-465	23. heinä	249.1	179.2	-	-	45.1	53.6	40.3
0-280-150-466	26.0	273.3	196.6	-	-	49.5	58.8	44.3
0-280-150-467	26.0	273.3	196.6	-	-	49.5	58.8	44.3
0-280-150-468	21.0	220.7	158.8	-	-	40.0	47.5	35.7
0-280-150-469	21.0	220.7	158.8	-	-	40.0	47.5	35.7
0-280-150-470	-	-	-	-	-	-	-	-
0-280-150-500	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-501	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-502	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-503	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-504	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-505	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-506	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-507	22.85	240.2	172.7	-	-	43.5	51.7	38.9

0-280-150-509	16. touko	173.4	124.7	-	-	31.4	37.3	28. tammi
0-280-150-550	26.0	273.3	196.6	-	-	49.5	58.8	44.3
0-280-150-551	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-552	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-553	26.0	273.3	196.6	-	-	49.5	58.8	44.3
0-280-150-554	26.0	273.3	196.6	-	-	49.5	58.8	44.3
0-280-150-555	09. kesä	100.9	72.62	-	-	18. maalis	21. heinä	16. maalis
0-280-150-556	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-558	39.75	417.8	300.5	-	-	75.7	89.9	67.7
0-280-150-559	39.75	417.8	300.5	-	-	75.7	89.9	67.7
0-280-150-588	40.0	420.4	302.4	-	-	76.2	90.5	68.1
0-280-150-601	48.5	509.7	366.7	36.25	02.50	92.4	109	82.6
0-280-150-603	-	-	-	-	-	-	-	-
0-280-150-608	42.0	441.4	317.5	36.25	02.50	80.0	95.0	71.5
0-280-150-614	18.0	189.2	136.1	43.5	3.00	34.3	40.7	30. kesä
0-280-150-672	-	-	-	-	-	-	-	-
0-280-150-668	-	-	-	-	-	-	-	-
0-280-150-701	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-702	18.0	189.2	136.1	43.5	3.00	34.3	40.7	30. kesä

0-280-150-703	14. helmi	149.2	107.4	43.5	3.00	27.0	32.1	24. helmi
0-280-150-704	16. helmi	170.3	122.5	43.5	3.00	30. syys	36.6	27. kesä
0-280-150-705	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-706	20.35	213.9	153.8	36.25	02.50	38.8	46.0	34.6
0-280-150-707	18.25	191.8	138.0	36.25	02.50	34.8	41.3	31. tammi
0-280-150-708	14.35	150.8	108.5	36.25	02.50	27. maalis	32.5	24. huhti
0-280-150-710	13. touko	141.9	102.1	36.25	02.50	25. heinä	30. touko	23.0
0-280-150-711	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-712	20.35	213.9	153.8	36.25	02.50	38.8	46.0	34.6
0-280-150-714	20.35	213.9	153.8	-	-	38.8	46.0	34.6
0-280-150-715	14. helmi	149.2	107.4	43.5	3.00	27.0	32.1	24. helmi
0-280-150-716	12.75	134.0	96.43	43.5	3.00	24. maalis	28. elo	21. heinä
0-280-150-718	19.0	199.7	143.6	32	02.21	36.2	43.0	32.3

0-280-150-725	16. huhti	172.4	124.0	36.25	02.50	31.2	37.1	27. syys
0-280-150-726	18.65	196.0	141.0	-	-	35.5	42.2	31. heinä
0-280-150-727	14.0	147.1	105.8	33	02.28	26. heinä	31. heinä	23. elo
0-280-150-728	24.0	252.2	181.4	43	02.96	45.7	54.3	40.9
0-280-150-729	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-730	18.45	193.9	139.5	-	-	35.1	41.7	31.4
0-280-150-731	18.45	193.9	139.5	-	-	35.1	41.7	31.4
0-280-150-734	19. touko	200.2	144.0	36.25	02.50	36.3	43.1	32.4
0-280-150-736	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-737	29.0	304.8	219.2	-	-	55.2	65.6	49.4
0-280-150-738	29.0	304.8	219.2	-	-	55.2	65.6	49.4
0-280-150-740	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-741	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi

0-280-150-742	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-743	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-744	20. huhti	214.4	154.2	36.25	02.50	38.9	46.1	34.7
0-280-150-745	22.35	234.9	169.0	-	-	42.6	50.6	38.0
0-280-150-746	26.35	276.9	199.2	-	-	50.2	59.6	44.9
0-280-150-747	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-748	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-749	20.75	218.1	156.9	-	-	39.5	46.9	35.3
0-280-150-750	13.15	138.2	99.46	-	-	25.0	29. heinä	22. huhti
0-280-150-751	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-754	22.65	238.1	171.2	-	-	43.1	51.2	38.6
0-280-150-756	30.55	321.1	231.0	43.5	3.00	58.2	69.1	52.0
0-280-150-756	32.0	336.3	241.9	45	03. loka	61.0	72.4	54.5
0-280-150-757	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-758	22.85	240.2	172.7	-	-	43.5	51.7	38.9
0-280-150-759	21. touko	226.0	162.5	39.15	02.70	41.0	48.6	36.6
0-280-150-760	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-761	22.65	238.1	171.2	-	-	43.1	51.2	38.6

0-280-150-762	20.35	213.9	153.8	43.5	3.00	38.8	46.0	34.6
0-280-150-763	17. syys	188.1	135.3	-	-	34.1	40.5	30. touko
0-280-150-764	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-766	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-767	13.15	138.2	99.46	-	-	25.0	29. heinä	22. huhti
0-280-150-769	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-770	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-771	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-773	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-774	-	-	-	-	-	-	-	-
0-280-150-775	18.65	196.0	141.0	47.9	03.30	35.5	42.2	31. heinä
0-280-150-776	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-777	26.35	276.9	199.2	-	-	50.2	59.6	44.9
0-280-150-778	18.15	190.8	137.2	-	-	34.6	41.1	30. syys
0-280-150-779	19.0	199.7	143.6	43.5	3.00	36.2	43.0	32.3
0-280-150-783	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-784	28.85	303.2	218.1	-	-	55.0	65.3	49.1
0-280-150-785	29. touko	310.0	223.0	57	03.93	56.2	66.7	50.2
0-280-150-786	22.15	232.8	167.5	-	-	42.2	50.1	37.7

0-280-150-788	19. maalis	202.8	145.9	-	-	36.8	43.7	32.9
0-280-150-789	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-790	18.15	190.8	137.2	-	-	34.6	41.1	30. syys
0-280-150-791	37.75	396.8	285.4	-	-	71.9	85.4	64.3
0-280-150-792	23. maalis	244.9	176.1	-	-	44.4	52.7	39.7
0-280-150-793	10.75	113.0	81.31	-	-	20. touko	24. maalis	18. maalis
0-280-150-802	25. elo	271.2	195.0	36.25	02.50	49.1	58.4	43.9
0-280-150-802	27.0	283.8	204.1	43.5	3.00	51.4	61.1	46.0
0-280-150-803	37.1	389.9	280.5	39.15	02.70	70.7	83.9	63.1
0-280-150-804	32.05	336.8	242.3	43.5	3.00	61.0	72.5	54.6
0-280-150-808	31. touko	331.1	238.1	55	03.79	60.0	71.3	53.6
0-280-150-810	28.45	299.0	215.1	-	-	54.2	64.4	48.4
0-280-150-811	28.35	298.0	214.3	50.8	03.50	54.0	64.1	48.3
0-280-150-812	19. maalis	202.8	145.9	-	-	36.8	43.7	32.9
0-280-150-813	28.45	299.0	215.1	-	-	54.2	64.4	48.4
0-280-150-814	36.55	384.1	276.3	43.5	3.00	69.6	82.7	62.2
0-280-150-818	22.65	238.1	171.2	-	-	43.1	51.2	38.6
0-280-150-819	22.65	238.1	171.2	-	-	43.1	51.2	38.6
0-280-150-820	22.65	238.1	171.2	-	-	43.1	51.2	38.6

0-280-150-821	16.95	178.1	128.1	-	-	32.3	38.3	28. syys
0-280-150-823	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-824	20.75	218.1	156.9	-	-	39.5	46.9	35.3
0-280-150-825	18. tammi	190.2	136.8	-	-	34.5	40.9	30. elo
0-280-150-826	21. helmi	222.8	160.3	-	-	40.4	48.0	36.1
0-280-150-827	21. helmi	222.8	160.3	-	-	40.4	48.0	36.1
0-280-150-828	22.35	234.9	169.0	-	-	42.6	50.6	38.0
0-280-150-829	19. maalis	202.8	145.9	-	-	36.8	43.7	32.9
0-280-150-830	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-831	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-834	37.75	396.8	285.4	43.5	3.00	71.9	85.4	64.3
0-280-150-835	37.75	396.8	285.4	43.5	3.00	71.9	85.4	64.3
0-280-150-841	59.2	622.2	447.5	-	-	112	133	100
0-280-150-842	-	-	-	-	-	-	-	-
0-280-150-901	18.55	195.0	140.2	43.5	3.00	35.3	42.0	31.6
0-280-150-902	18.75	197.1	141.7	-	-	35.7	42.4	31.9
0-280-150-903	18.75	197.1	141.7	-	-	35.7	42.4	31.9
0-280-150-905	23. maalis	244.9	176.1	-	-	44.4	52.7	39.7
0-280-150-906	-	-	-	-	-	-	-	-
0-280-150-908	23. huhti	245.9	176.9	-	-	44.6	52.9	39.8
0-280-150-911	30.0	315.3	226.8	39.15	02.70	57.1	67.9	51.1

0-280-150-912	30.55	321.1	231.0	43.5	3.00	58.2	69.1	52.0
0-280-150-913	24. huhti	256.4	184.5	39.15	02.70	46.5	55.2	41.5
0-280-150-917	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-921	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-922	14.25	149.8	107.7	-	-	27. tammi	32.2	24. maalis
0-280-150-923	29. maalis	307.9	221.5	-	-	55.8	66.3	49.9
0-280-150-924	29. maalis	307.9	221.5	-	-	55.8	66.3	49.9
0-280-150-925	18.0	189.2	136.1	-	-	34.3	40.7	30. kesä
0-280-150-926	18.0	189.2	136.1	-	-	34.3	40.7	30. kesä
0-280-150-927	21. elo	229.1	164.8	-	-	41.5	49.3	37.1
0-280-150-928	21. elo	229.1	164.8	-	-	41.5	49.3	37.1
0-280-150-929	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-930	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-931	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-932	28.85	303.2	218.1	-	-	55.0	65.3	49.1
0-280-150-933	29.0	304.8	219.2	-	-	55.2	65.6	49.4
0-280-150-934	28. touko	294.8	212.1	-	-	53.4	63.4	47.7
0-280-150-935	16.45	172.9	124.4	-	-	31. maalis	37.2	28.0
0-280-150-936	18. tammi	190.2	136.8	-	-	34.5	40.9	30. elo

0-280-150-937	13. touko	141.9	102.1	-	-	25. heinä	30. touko	23.0
0-280-150-938	13. touko	141.9	102.1	-	-	25. heinä	30. touko	23.0
0-280-150-940	18.95	199.2	143.3	-	-	36.1	42.9	32.3
0-280-150-945	28.55	300.1	215.8	-	-	54.4	64.6	48.6
0-280-150-947	24.25	254.9	183.3	39.15	02.70	46.2	54.9	41.3
0-280-150-951	32.9	345.8	248.7	43.5	3.00	62.7	74.4	56.0
0-280-150-952	25.0	262.8	189.0	-	-	47.6	56.5	42.6
0-280-150-953	-	-	-	-	-	-	-	-
0-280-150-954	17. syys	188.1	135.3	-	-	34.1	40.5	30. touko
0-280-150-955	16.75	176.0	126.6	-	-	31.9	37.9	28. touko
0-280-150-956	16.75	176.0	126.6	-	-	31.9	37.9	28. touko
0-280-150-957	21. helmi	222.8	160.3	-	-	40.4	48.0	36.1
0-280-150-958	21. helmi	222.8	160.3	-	-	40.4	48.0	36.1
0-280-150-960	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-962	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-963	17. heinä	186.0	133.8	-	-	33.7	40.0	30. tammi
0-280-150-964	17. heinä	186.0	133.8	-	-	33.7	40.0	30. tammi

0-280-150-965	21. touko	221.2	159.1	-	-	40.1	47.6	35.8
0-280-150-966	21. touko	221.2	159.1	-	-	40.1	47.6	35.8
0-280-150-967	34.0	357.3	257.0	43.5	3.00	64.8	76.9	57.9
0-280-150-968	34.0	357.3	257.0	43.5	3.00	64.8	76.9	57.9
0-280-150-969	42.0	441.4	317.5	43.5	3.00	80.0	95.0	71.5
0-280-150-971	22.35	234.9	169.0	-	-	42.6	50.6	38.0
0-280-150-972	21. touko	221.2	159.1	-	-	40.1	47.6	35.8
0-280-150-973	18.65	196.0	141.0	-	-	35.5	42.2	31. heinä
0-280-150-974	28. syys	303.7	218.5	-	-	55.0	65.4	49.2
0-280-150-975	20.15	211.8	152.3	-	-	38.4	45.6	34.3
0-280-150-976	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-977	18.75	197.1	141.7	-	-	35.7	42.4	31.9
0-280-150-978	18.75	197.1	141.7	-	-	35.7	42.4	31.9
0-280-150-979	19. elo	208.1	149.7	-	-	37.7	44.8	33.7
0-280-150-980	19. elo	208.1	149.7	-	-	37.7	44.8	33.7
0-280-150-981	16.75	176.0	126.6	-	-	31.9	37.9	28. touko
0-280-150-982	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-983	18.25	191.8	138.0	-	-	34.8	41.3	31. tammi
0-280-150-984	32.9	345.8	248.7	-	-	62.7	74.4	56.0
0-280-150-985	36.65	385.2	277.1	-	-	69.8	82.9	62.4
0-280-150-987	14.35	150.8	108.5	-	-	27. maalis	32.5	24. huhti
0-280-150-988	20.35	213.9	153.8	-	-	38.8	46.0	34.6
0-280-150-989	16.75	176.0	126.6	-	-	31.9	37.9	28. touko

0-280-150-990	16.75	176.0	126.6	-	-	31.9	37.9	28. touko
0-280-150-991	24.0	252.2	181.4	-	-	45.7	54.3	40.9
0-280-150-993	10. touko	110.4	79.42	-	-	20.0	23. elo	17. syys
0-280-150-995	10.65	111.9	80.56	-	-	20. maalis	24. tammi	18. tammi
0-280-150-996	12.55	131.9	94.92	-	-	23. syys	28. huhti	21. huhti
0-280-150-997	09. kesä	100.9	72.62	-	-	18. maalis	21. heinä	16. maalis
0-280-150-998	21. touko	221.2	159.1	-	-	40.1	47.6	35.8
0-280-150-999	21. touko	221.2	159.1	-	-	40.1	47.6	35.8
0-280-155-002	-	-	-	-	-	-	-	-
0-280-155-007	-	-	-	-	-	-	-	-
0-280-155-008	-	-	-	-	-	-	-	-
0-280-155-009	32.95	346.3	249.1	39.15	02.70	62.8	74.5	56.1
0-280-155-010	-	-	-	-	-	-	-	-
0-280-155-013	-	-	-	-	-	-	-	-
0-280-155-104	-	-	-	-	-	-	-	-
0-280-155-205	-	-	-	-	-	-	-	-
0-280-155-209	-	-	-	-	-	-	-	-
0-280-155-216	19.85	208.6	150.1	-	-	37.8	44.9	33.8
0-280-155-217	-	-	-	-	-	-	-	-
0-280-155-219	-	-	-	-	-	-	-	-

0-280-155-604	-	-	-	-	-	-	-	-
0-280-155-613	-	-	-	-	-	-	-	-
0-280-155-702	19.0	199.7	143.6	43.5	3.00	36.2	43.0	32.3
0-280-155-703	-	-	-	-	-	-	-	-
0-280-155-712	-	-	-	-	-	-	-	-
0-280-155-723	-	-	-	-	-	-	-	-
0-280-155-734	-	-	-	-	-	-	-	-
0-280-155-737	24.85	261.2	187.9	43.5	3.00	47.3	56.2	42.3
0-280-155-742	-	-	-	-	-	-	-	-
0-280-155-746	19.0	199.7	143.6	43.5	3.00	36.2	43.0	32.3
0-280-155-749	-	-	-	-	-	-	-	-
0-280-155-750	-	-	-	-	-	-	-	-
0-280-155-753	-	-	-	-	-	-	-	-
0-280-155-755	-	-	-	-	-	-	-	-
0-280-155-758	-	-	-	-	-	-	-	-
0-280-155-759	30.0	315.3	226.8	43.5	3.00	57.1	67.9	51.1
0-280-155-766	33.3	350.0	251.7	43.5	3.00	63.4	75.3	56.7

0-280-155-769	-	-	-	-	-	-	-	-
0-280-155-777	14.25	149.8	107.7	43.5	3.00	27. tammi	32.2	24. maalis
0-280-155-785	-	-	-	-	-	-	-	-
0-280-155-788	-	-	-	-	-	-	-	-
0-280-155-791	-	-	-	-	-	-	-	-
0-280-155-794	-	-	-	-	-	-	-	-
0-280-155-795	-	-	-	-	-	-	-	-
0-280-155-803	-	-	-	-	-	-	-	-
0-280-155-819	-	-	-	-	-	-	-	-
0-280-155-821	14.25	149.8	107.7	43.5	3.00	27. tammi	32.2	24. maalis
0-280-155-822	-	-	-	-	-	-	-	-
0-280-155-823	-	-	-	-	-	-	-	-
0-280-155-824	-	-	-	-	-	-	-	-
0-280-155-830	-	-	-	-	-	-	-	-
0-280-155-831	31. elo	334.2	240.4	55.1	03.80	60.6	71.9	54.1
0-280-155-832	-	-	-	-	-	-	-	-
0-280-155-839	-	-	-	-	-	-	-	-

0-280-155-844	14. maalis	150.3	108.1	43.5	3.00	27. helmi	32.3	24. maalis
0-280-155-855	-	-	-	-	-	-	-	-
0-280-155-868	34.5	362.6	260.8	43.5	3.00	65.7	78.0	58.7
0-280-155-869	-	-	-	-	-	-	-	-
0-280-155-884	-	-	-	-	-	-	-	-
0-280-155-890	16.35	171.8	123.6	43.5	3.00	31. tammi	37.0	27. elo
0-280-155-892	-	-	-	-	-	-	-	-
0-280-155-893	36.75	386.2	277.8	43.5	3.00	70.0	83.1	62.6
0-280-155-897	20.65	217.0	156.1	43.5	3.00	39.3	46.7	35.1
0-280-155-917	13.55	142.4	102.4	43.5	3.00	25. elo	30. kesä	23. tammi
0-280-155-921	-	-	-	-	-	-	-	-
0-280-155-931	28.55	300.1	215.8	43.5	3.00	54.4	64.6	48.6
0-280-155-968	29. touko	310.0	223.0	43.5	3.00	56.2	66.7	50.2
0-280-155-988	-	-	-	-	-	-	-	-
0-280-155-994	-	-	-	-	-	-	-	-
0-280-156-012	29. touko	310.0	223.0	43.5	3.00	56.2	66.7	50.2
0-280-156-013	16.35	171.8	123.6	43.5	3.00	31. tammi	37.0	27. elo
0-280-156-014	-	-	-	-	-	-	-	-
0-280-156-022	-	-	-	-	-	-	-	-
0-280-156-023	-	-	-	-	-	-	-	-

0-280-156-024	-	-	-	-	-	-	-	-
0-280-156-026	-	-	-	-	-	-	-	-
0-280-156-034	-	-	-	-	-	-	-	-
0-280-156-038	-	-	-	-	-	-	-	-
0-280-156-039	-	-	-	-	-	-	-	-
0-280-156-045	-	-	-	-	-	-	-	-
0-280-156-052	-	-	-	-	-	-	-	-
0-280-156-061	30.15	316.9	227.9	43.5	3.00	57.4	68.2	51.3
0-280-156-062	-	-	-	-	-	-	-	-
0-280-156-064	-	-	-	-	-	-	-	-
0-280-156-065	26.85	282.2	203.0	43.5	3.00	51.1	60.7	45.7
0-280-156-072	-	-	-	-	-	-	-	-
0-280-156-123	20.25	212.8	153.1	43.5	3.00	38.6	45.8	34.5
0-280-156-124	-	-	-	-	-	-	-	-
0-280-156-186	20.25	212.8	153.1	43.5	3.00	38.6	45.8	34.5
0-280-156-188	-	-	-	-	-	-	-	-
0-280-156-189	-	-	-	-	-	-	-	-
0-280-156-190	-	-	-	-	-	-	-	-
0-437-502-003	-	-	-	-	-	-	-	-
0-437-502-004	-	-	-	-	-	-	-	-
0-437-502-005	-	-	-	-	-	-	-	-

0-437-502-006	-	-	-	-	-	-	-	-
0-437-502-007	-	-	-	-	-	-	-	-
0-437-502-010	-	-	-	-	-	-	-	-
0-437-502-012	-	-	-	-	-	-	-	-
0-437-502-013	-	-	-	-	-	-	-	-
0-437-502-015	-	-	-	-	-	-	-	-
0-437-502-018	-	-	-	-	-	-	-	-
0-437-502-022	-	-	-	-	-	-	-	-

0-437- 502-023	-	-	-	-	-	-	-	-
0-437- 502-043	-	-	-	46.2	-	-	-	-
0-437- 502-044	-	-	-	46.2	-	-	-	-
0-437- 502-045	-	-	-	36.25	-	-	-	-
0-437- 502-046	-	-	-	36.25	-	-	-	-
0-437- 502-047	-	-	-	-	-	-	-	-
1-660- 062-060	-	-	-	-	-	-	-	-
1-660- 362-001	-	-	-	-	-	-	-	-
1-660- 362-028	-	-	-	-	-	-	-	-

B-280-214-912	175.0	1839	1323	45	03. loka	333	395	297
B-280-214-913	175.0	1839	1323	45	03. loka	333	395	297
B-280-410-144	41.25	433.5	311.8	43.5	3.00	78.6	93.3	70.2
B-280-410-153	57.0	599.1	430.9	36.25	02.50	108	128	97.0
B-280-410-153	76.0	798.8	574.6	72.5	5.00	144	171	129
B-280-410-475	77.35	812.9	584.8	43.5	3.00	147	175	131
B-280-412-911	76.0	798.8	574.6	36.25	02.50	144	171	129
B-280-412-911	106.45	1118	804.7	72.5	5.00	202	240	181
B-280-431-126	24.85	261.2	187.9	43.5	3.00	47.3	56.2	42.3
B-280-431-127	24.85	261.2	187.9	43.5	3.00	47.3	56.2	42.3
B-280-431-128	34.65	364.2	261.9	43.5	3.00	66.0	78.4	59.0
B-280-431-129	34.65	364.2	261.9	43.5	3.00	66.0	78.4	59.0
B-280-431-130	46.92	493.1	354.7	43.5	3.00	89.4	106	79.9
B-280-431-131	46.92	493.1	354.7	43.5	3.00	89.4	106	79.9
B-280-432-115	20.65	217.0	156.1	43.5	3.00	39.3	46.7	35.1
B-280-434-499/1	62.2	653.7	470.2	43.5	3.00	118	140	105
B-280-436-038/1	47.9	503.4	362.1	43.5	3.00	91.2	108	81.5
B-280-436-038/2	47.9	503.4	362.1	43.5	3.00	91.2	108	81.5
B-280-436-038/3	36.85	387.3	278.6	43.5	3.00	70.2	83.4	62.7
B-280-436-038/4	36.85	387.3	278.6	43.5	3.00	70.2	83.4	62.7
R-280-410-144	41.3	434.1	312.2	-	-	78.7	93.4	70.3
R-280-411-911	80.0	840.8	604.8	43.5	3.00	152	181	136
R-280-412-911	77.2	811.4	583.6	36.25	02.50	147	174	131

- Est. HP Cycle	.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle			
95%	80%	95%	80%	95%	Impedanc e	Applicatio n
50.9	38.8	46.0	35.4	42.0	-	M B 3.5l, Saab 1.7l
50.9	38.8	46.0	35.4	42.0	-	-
73.1	55.6	66.0	50.7	60.3	-	-
50.9	38.8	46.0	35.4	42.0	Low	VW 1.6l, 1.7l
50.9	38.8	46.0	35.4	42.0	Low	Porsche 914 1.7l
-	-	-	-	-	-	Jaguar v12-5.3l
73.1	55.6	66.0	50.7	60.3	-	-
-	-	-	-	-	Low	Renault 4- 1.6
-	-	-	-	-	-	Porsche 4-1.8l, 4- 2.0l
-	-	-	-	-	-	Jaguar V12
73.1	55.6	66.0	50.7	60.3	Low	M B, Volvo
73.1	55.6	66.0	50.7	60.3	-	M B, Volvo
-	-	-	-	-	Low	M B v8- 3.5l, SAAB 1.7l
61.6	46.9	55.7	42.8	50.8	Low	M B 6- 2.8l, Jaguar v12-5.3l
73.1	55.6	66.0	50.7	60.3	Low	M B v8- 4.5l, Volvo 2.0l, 6- 3.0l, Mercury Outboard
-	-	-	-	-	-	Porsche 4-1.8l, 2.0l
92.4	70.3	83.5	64.1	76.2	Low	M B, Cadillac

73.1	55.6	66.0	50.7	60.3	-	BMW 6-3.0l, Citroen 4-2.1l, 4-2.3l, M B v8-4.5l, Volvo 4-2.0l, 6-3.0l
65.0	49.5	58.7	45.1	53.6	-	M B v8-3.5l, VW 1.6l, 4-1.7l
77.0	58.6	69.6	53.5	63.5	-	M B 6-2.5l, 6-2.9l, Jaguar v12-5.3l, Saab 4-2.0l
-	-	-	-	-	-	Ford v6-3.2l, 6-3.9l
-	-	-	-	-	-	Peugeot
-	-	-	-	-	Low	VW 1.8l
35.6	27. tammi	32.2	24. heinä	29. maalis	-	-
36.6	27. elo	33.1	25. huhti	30.2	-	Alfa v6-2.5l, v6-3.0l, Jaguar XJS, Opel 4-1.9l, Porsche 4-2.0l, Renault 4-1.6l, Range Rover v8-3.5l, Triumph 2.0l, v8-3.5l
-	-	-	-	-	-	Porsche 4-1.8l, VW 1.6l
36.6	27. elo	33.1	25. huhti	30.2	-	VW 4-1.8l, 4-2.0l
36.6	27. elo	33.1	25. huhti	30.2	-	VW 4-1.6l

34.3	26. tammi	31.0	23. elo	28. maalis	-	Alfa 2.0l, Fiat 2.0l, Lancia 4- 2.0l, Pininfarina 4-2.0l
-	-	-	-	-	-	Bertone 4- 1.5l, Fiat 4-1.5l, Triumph 2.0l, v8- 3.5l
-	-	-	-	-	-	Triumph 4-2.0l
36.8	28.0	33.3	25. touko	30. maalis	-	Renault 4- 1.6l, 4-1.6l Turbo, 4- 1.7l, Trium ph 2.0l
36.8	28.0	33.3	25. touko	30. maalis	-	BMW 6- 2.7l, 3.0l, Renault 4- 1.7l, 4- 2.2l, Eagle 6-3.0l
-	-	-	-	-	-	Alfa 2.0l, Fiat 2.0l, Lancia 4- 2.0l
32.1	24. touko	29.0	22. maalis	26. touko	Low	Alfa 2.0l, Fiat 2.0l, Lancia 4- 2.0l
36.8	28.0	33.3	25. touko	30. maalis	Low	Jaguar 6- 3.2l, 6-3.6l
36.8	28.0	33.3	25. touko	30. maalis	Low	Renault v6-2.8l
36.8	28.0	33.3	25. touko	30. maalis	Low	Jaguar 6- 4.0l
36.8	28.0	33.3	25. touko	30. maalis	Low	Nissan 4- 2.0l
36.8	28.0	33.3	25. touko	30. maalis	Low	-
46.3	35.2	41.8	32.1	38.2	High	BMW 6- 3.0l, 6- 3.2l, Jaguar 6- 4.2l

58.6	44.6	53.0	40.7	48.3	-	BMW 6-3.0l, Volvo
45.5	34.6	41.1	31.6	37.5	-	Alfa Turbo, BMW 6-2.8l, 6-3.2l, Porsche
-	-	-	-	-	-	Porsche 8-4.6l
41.2	31.4	37.3	28. kesä	34.0	Low	Jaguar 3.6l, 6-4.2l
44.1	33.5	39.8	30. kesä	36.3	Low	Porsche 4-2.5l, 4-2.7l, 6-3.2l
49.2	37.5	44.5	34.2	40.6	Low	Ford 2.3l
35.6	27. tammi	32.2	24. heinä	29. maalis	Low	Eagle v6-3.0l, Ford 2.3l
-	-	-	-	-	-	Jaguar v12-5.3l
-	-	-	-	-	-	Jaguar v12-5.3l
44.9	34.2	40.6	31.2	37.0	Low	Jaguar 3.6l, 6-4.0l
41.0	31.2	37.1	28. touko	33.8	Low	Jaguar 6-4.2l
57.8	44.0	52.3	40.1	47.7	Low	BMW, Peugeot
45.5	34.6	41.1	31.6	37.5	Low	BMW 4-1.0l, 4-2.3l, 6-3.2l, 6-3.4l, 6-3.5l, Chrysler 2.2l, 2.5l, Pontiac 1.8l, Porsche 4-2.5l

35.6	27. tammi	32.2	24. heinä	29. maalis	High	BMW 6-2.8l, 6-3.4l, Fiat 4-2.0l, Ford 6-4.1l, v8-5.0l, Holden 6-3.3l
32.3	24. kesä	29.2	22. touko	26. heinä	-	Volvo 4-2.1l
32.7	24. syys	29. kesä	22. heinä	27.0	High	Holden 4-1.8l, MB
32.3	24. kesä	29.2	22. touko	26. heinä	-	VW 1.9l, 4-2.1l
20. elo	15. elo	18. elo	14. touko	17. helmi	-	-
25. kesä	19. touko	23. tammi	17. elo	21. tammi	-	BMW 6-2.0l, 6-2.3l, Renault 4-1.4l
27. heinä	21. tammi	25.0	19. helmi	22. elo	-	Renault 1.4l
32.1	24. touko	29.0	22. maalis	26. touko	Low	Range Rover 8-3.5l, Volvo 4-2.3l
33.9	25. elo	30. kesä	23. touko	27. syys	Low	Volvo 4-2.3l
25. kesä	19. touko	23. tammi	17. elo	21. tammi	High	BMW Motorcycle
28. tammi	21. huhti	25. huhti	19. touko	23. helmi	High	BMW 1.8l, Renault 4-2.2l
66.7	50.8	60.3	46.3	55.0	High	Ford 1.8l, 2.3l, Porsche
36.2	27. touko	32.7	25. tammi	29. elo	-	Fiat 4-2.0l
41.2	31.4	37.3	28. kesä	34.0	High	Ford 6-4.1l
41.2	31.4	37.3	28. kesä	34.0	-	-
32.3	24. kesä	29.2	22. touko	26. heinä	High	Buick v6-3.8l
60.0	45.7	54.3	41.7	49.5	High	Buick GN v6-3.8l Turbo

32.3	24. kesä	29.2	22. touko	26. heinä	High	Ford 4-2.0l
28. touko	21. heinä	25. elo	19. elo	23. touko	High	Buick v6-3.0l
28. touko	21. heinä	25. elo	19. elo	23. touko	High	Buick v6-3.0l
43.2	32.8	39.0	30.0	35.6	High	Vette 8-5.7l
36.8	28.0	33.3	25. touko	30. maalis	High	Peugeot 4-2.2l
-	-	-	-	-	-	Range Rover 8-3.5l
-	-	-	-	-	-	Lancia 4-2.0l
-	-	-	-	-	-	Ford 1.9l, 2.3l, v6-3.0l, v6-3.8l, v8-5.0l
-	-	-	-	-	-	Buick 3.0l
-	-	-	-	-	-	Vette v8-5.7l
-	-	-	-	-	-	Cadillac v8-4.1l
-	-	-	-	-	-	Buick v6-3.8l
-	-	-	-	-	-	Buick v6-3.0l
-	-	-	-	-	-	Chevy v8-5.0l
43.2	32.8	39.0	30.0	35.6	High	Vette v8-5.7l
-	-	-	-	-	-	Porsche v8-4.7l
50.0	38.1	45.2	34.7	41.3	-	Citroen 4-2.5l
04.80	03.66	04.34	03.34	03.96	High	Peugeot 4-2.5l
57.8	44.0	52.3	40.1	47.7	-	Volvo 2.3l Turbo
143	109	129	99.6	118	Low	Chrysler 2.2l

-	-	-	-	-	-	BMW 2.3l, 6-3.2l, 6- 3.4l, Plymouth 4-2.2l, 4- 2.5l, Pontiac 1.8l, Porsche 2.5l
-	-	-	-	-	-	Ford 1.6l
74.8	56.9	67.6	51.9	61.7	-	Volvo
57.8	44.0	52.3	40.1	47.7	Low	Volvo 4- 2.3l
57.8	44.0	52.3	40.1	47.7	Low	Volvo 4- 2.3l Turbo
-	-	-	-	-	-	BMW 2.3l, 6-3.2l, 6- 3.4l, Plymouth 4-2.2l, 4- 2.5l, Pontiac 1.8l, Porsche 2.5l
-	-	-	-	-	-	BMW 2.3l, 6-3.2l, 6- 3.4l, Plymouth 4-2.2l, 4- 2.5l, Pontiac 1.8l, Porsche 2.5l
-	-	-	-	-	Low	Plymouth 4-2.2l

-	-	-	-	-	-	BMW 2.3l, 6-3.2l, 6- 3.4l, Plymouth 4-2.2l, 4- 2.5l, Pontiac 1.8l, Porsche 2.5l
84.1	64.0	76.0	58.4	69.3	Low	Ford 5.0l
84.1	64.0	76.0	58.4	69.3	Low	Ford
65.0	49.5	58.7	45.1	53.6	Low	Ford v6- 3.8l
96.8	73.7	87.5	67.2	79.8	Low	Ford 5.0l HO
37.7	28. heinä	34.1	26. helmi	31. tammi	High	-
29. kesä	22. touko	26. elo	20. kesä	24. huhti	High	BMW 6- 2.0l
36.6	27. elo	33.1	25. huhti	30.2	High	BMW 6- 2.5l
28. elo	21. syys	26.0	20.0	23. elo	High	Audi v8- 3.6l, Ferrari
28. elo	21. syys	26.0	20.0	23. elo	High	-
50.5	38.5	45.7	35.1	41.7	High	-
38.2	29. tammi	34.5	26. touko	31. touko	High	Ferrari f12-4.9l
58.4	44.5	52.8	40.6	48.2	High	Holden 4- 2.0l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
50.3	38.3	45.5	34.9	41.5	High	-
37.7	28. heinä	34.1	26. helmi	31. tammi	High	Peugeot 4-2.0l
33.4	25. huhti	30. tammi	23. helmi	27. touko	High	Audi v8- 4.2l
33.4	25. huhti	30. tammi	23. helmi	27. touko	High	-
46.4	35.3	41.9	32.2	38.3	High	-
37.7	28. heinä	34.1	26. helmi	31. tammi	-	Holden v6-2.5l, Saab v6- 2.5l

37.7	28. heinä	34.1	26. helmi	31. tammi	High	-
69.0	52.5	62.4	47.9	56.9	High	Saab 4-2.0l Turbo, 4-2.3l Turbo
46.2	35.2	41.7	32.1	38.1	High	Saab 4-2.0l, 4-2.3l
46.2	35.2	41.7	32.1	38.1	High	-
32.8	25.0	29. heinä	22. elo	27. tammi	High	-
32.3	24. kesä	29.2	22. touko	26. heinä	High	-
48.1	36.6	43.5	33.4	39.7	High	BMW 6-2.8l
39.0	29. heinä	35.3	27. tammi	32.2	High	Audi v8-3.7l, v8-4.2l
39.0	29. heinä	35.3	27. tammi	32.2	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
28. elo	21. syys	26.0	20.0	23. elo	High	Audi 4-1.8l, VW 4-1.8l
28. elo	21. syys	26.0	20.0	23. elo	High	-
33.9	25. elo	30. kesä	23. touko	27. syys	High	-
46.3	35.2	41.8	32.1	38.2	High	Audi 4-1.8l Turbo, VW 4-1.8l Turbo
46.3	35.2	41.8	32.1	38.2	High	-
46.3	35.2	41.8	32.1	38.2	High	Ferrari v12-5.5l
64.5	49.1	58.3	44.8	53.2	High	-
46.2	35.2	41.7	32.1	38.1	High	-
52.6	40.0	47.5	36.5	43.3	High	-
36.8	28.0	33.3	25. touko	30. maalis	High	-

42.4	32.3	38.4	29. touko	35.0	High	Porsche 6-2.5l, 6-2.7l, 6-3.2l, 6-3.4l
36.8	28.0	33.3	25. touko	30. maalis	High	-
28. elo	21. syys	26.0	20.0	23. elo	High	-
28. elo	21. syys	26.0	20.0	23. elo	High	-
31. touko	24.0	28. touko	21. syys	26.0	High	-
31. touko	24.0	28. touko	21. syys	26.0	High	-
46.2	35.2	41.7	32.1	38.1	High	-
45.6	34.7	41.2	31.6	37.6	High	VW
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Audi v8-4.2l
47.9	36.5	43.3	33.3	39.5	High	VW 4-1.8l Turbo
47.9	36.5	43.3	33.3	39.5	High	-
52.6	40.0	47.5	36.5	43.3	High	-
52.6	40.0	47.5	36.5	43.3	High	Audi 1.8l Turbo
42.4	32.3	38.4	29. touko	35.0	High	-
42.4	32.3	38.4	29. touko	35.0	High	-
-	-	-	-	-	-	Porsche 6-3.4l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	BMW 4-1.9l
46.2	35.2	41.7	32.1	38.1	High	KIA 4-2.0l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
46.2	35.2	41.7	32.1	38.1	High	KIA 4-2.0l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
46.2	35.2	41.7	32.1	38.1	High	-
46.2	35.2	41.7	32.1	38.1	High	-

33.4	25. huhti	30. tammi	23. helmi	27. touko	High	-
52.6	40.0	47.5	36.5	43.3	High	-
28. elo	21. syys	26.0	20.0	23. elo	High	Audi 1.8l
28. elo	21. syys	26.0	20.0	23. elo	High	Audi v6-2.6l, v6-2.8l
52.6	40.0	47.5	36.5	43.3	High	-
52.6	40.0	47.5	36.5	43.3	High	-
19. huhti	14. elo	17. touko	13. touko	16.0	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Range Rover v8-3.9l, Land Rover Discovery v8-4.0l
80.3	61.2	72.6	55.8	66.3	High	-
80.3	61.2	72.6	55.8	66.3	High	-
80.9	61.5	73.1	56.1	66.7	High	-
98.0	74.6	88.6	68.1	80.8	-	Ford 2.5l
-	-	-	-	-	High	VW
84.9	64.6	76.7	58.9	70.0	-	Ford
36.4	27. heinä	32.9	25. maalis	30.0	-	Renault
-	-	-	-	-	High	-
-	-	-	-	-	Low	VW 1.8l
46.2	35.2	41.7	32.1	38.1	High	Alfa v6-3.0l, BMW 6-3.0l, 6-3.5l, Citroen 4-2.0l
36.4	27. heinä	32.9	25. maalis	30.0	High	Alfa 4-1.7l, 4-2.0l, v6-2.5l, v6-3.0l, Ford 4-2.0l

28. heinä	21. elo	25. syys	19. syys	23. heinä	High	Alfa 4-1.7l, Rover 1.4l
32.7	24. syys	29. kesä	22. heinä	27.0	High	BMW 4- 1.8l
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	BMW 4- 1.0l, 4- 1.1l, 4- 1.2l, Yugo 1.3l
41.1	31. maalisk	37.2	28. kesä	33.9	High	HSV v8- 5.0l, Mitsubishi 4-2.6l, Porsche v8-5.0l, Saab 4- 2.0l Turbo
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	-
27. maalisk	20. elo	24. heinä	18. syys	22. touko	High	Ford 1.9l, 2.3l, v6- 3.0l, v6- 3.8l, v8- 5.0l
36.9	28. tammi	33.3	25. kesä	30. huhti	-	Saab 4- 2.0l
41.1	31. maalisk	37.2	28. kesä	33.9	High	Saab 4- 2.0l Turbo
41.1	31. maalisk	37.2	28. kesä	33.9	High	BMW 4- 1.8l, 6-3.4l
28. heinä	21. elo	25. syys	19. syys	23. heinä	High	BMW 4- 1.6l, 4- 1.8l, 6- 2.5l, v12- 5.0l, v12- 5.4l
25. elo	19. kesä	23. maalisk	17. syys	21. maalisk	-	BMW 4- 1.0l, 4- 2.0l, 6-2.7l
38.4	29.2	34.7	26. heinä	31. heinä	High	Ford/Truc ks v8-5.0l

33.1	25. helmi	30.0	23.0	27. maalis	-	Holden 4-1.8l, 4-2.0l, GM 4-2.0l, Nissan 4-1.8l, Peugeot 4-1.9l, 4-2.2l, 6-2.8l, Volvo 4-2.3l, v6-2.8l, v6-3.0l
37.7	28. heinä	34.1	26. helmi	31. tammi	High	Ford 6-4.1l
28. maalis	21. touko	25. kesä	19. kesä	23. maalis	High	Ford/Trucks v8-5.0l, 6-4.9l
48.5	36.9	43.8	33.7	40.0	High	Ford 8-7.5l Truck
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
37.3	28. huhti	33.7	25. syys	30. elo	High	Porsche v8-5.0l, v8-5.4l
37.3	28. huhti	33.7	25. syys	30. elo	High	Ferrari v8-3.4l, Porsche 6-3.6l
38.5	29. maalis	34.8	26. heinä	31. elo	High	Citrogen 4-1.9l, Peugeot 4-1.9l, 4-2.2l, v6-2.85l, Volvo 4-2.0l, 4-2.3l, v6-2.8l, v6-3.0l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
58.6	44.6	53.0	40.7	48.3	High	Audi 2.2l Turbo
58.6	44.6	53.0	40.7	48.3	High	-
28. elo	21. syys	26.0	20.0	23. elo	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-

36.9	28. tammi	33.3	25. kesä	30. huhti	High	Hyundai 4-1.5l, 4-1.6l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
41.2	31.4	37.3	28. kesä	34.0	High	Holden 4-2.0l, GM 4-2.0l
45.2	34.4	40.8	31.4	37.3	High	Hyundai 4-1.6l, 4-1.8l, v6-3.0l
53.3	40.5	48.1	37.0	43.9	High	Hyundai 4-2.4l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	-
41.9	31.9	37.9	29. tammi	34.6	High	MG 4-1.8l, Rover 4-1.8l, Volvo 4-2.3l
26. kesä	20. helmi	24.0	18. touko	21. syys	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
45.8	34.8	41.4	31. elo	37.8	High	Hyundai 4-2.0l
61.8	47.0	55.8	42.9	50.9	High	Ford v6-3.8l SC, GM v6-4.3l Turbo
64.7	49.2	58.5	44.9	53.3	High	GM 4.3l Turbo Truck
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
46.2	35.2	41.7	32.1	38.1	High	-
43.5	33.1	39.3	30.2	35.8	High	Ford 460 Truck
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Saab 4-2.0l
45.8	34.8	41.4	31. elo	37.8	High	Saab 4-2.0l

41.1	31. maalis	37.2	28. kesä	33.9	High	Citroen 4-1.9l, Peugeot 4-1.9l, Volvo 4-2.3l
36.2	27. touko	32.7	25. tammi	29. elo	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Ford 6-4.9l
26. kesä	20. helmi	24.0	18. touko	21. syys	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	-
28. elo	21. syys	26.0	20.0	23. elo	High	Hyundai 1.5l
-	-	-	-	-	-	Buick/Olds /Pontiac v6-3.8l, Chrysler/Dodge 6-3.0l
37.7	28. heinä	34.1	26. helmi	31. tammi	High	HSV v8-5.7l, Mitsubishi 4-2.6l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Hyundai 1.5l
53.3	40.5	48.1	37.0	43.9	High	-
36.7	27. syys	33.2	25. touko	30. maalis	High	BMW v8-3.0l, v8-3.5l, v8-4.0l, v8-4.4l
38.4	29.2	34.7	26. heinä	31. heinä	High	Volvo 5-2.5l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	KIA 4-2.0l
58.3	44.4	52.7	40.5	48.1	High	-
59.6	45.4	53.9	41.4	49.2	High	Volvo 5-2.4l
44.8	34.1	40.5	31. tammi	36.9	High	Porsche 6-3.6l

39.0	29. heinä	35.3	27. tammi	32.2	High	Mitsubishi v6-3.0l
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	-
36.7	27. syys	33.2	25. touko	30. maalis	High	Ford 6- 3.9, 6-4.0l
76.3	58.1	69.0	53.0	62.9	High	Porsche 6-3.6l
47.1	35.8	42.6	32.7	38.8	High	BMW 6- 3.2l, v8- 5.0l
21. heinä	16. touko	19. kesä	15. tammi	17. syys	High	BMW 4- 1.2l
52.1	39.7	47.1	36.2	43.0	-	Volvo
54.6	41.5	49.3	37.9	45.0	Low	Peugeot 2.2l Turbo, Renault Turbo, Volvo Turbo
75.0	57.1	67.8	52.1	61.8	Low	Porsche 944 Turbo 4-2.5l
64.8	49.3	58.6	45.0	53.4	Low	Peugeot, Volvo 4- 2.3l Turbo
63.7	48.5	57.5	44.2	52.5	Low	Mazda, Chrysler 2.2l Turbo, Holden v6-3.8l
57.5	43.8	52.0	39.9	47.4	Low	Pontiac 2.0l Turbo
57.3	43.6	51.8	39.8	47.3	Low	Porsche 944 4-3.0l
39.0	29. heinä	35.3	27. tammi	32.2	Low	Chrysler v6-3.0l
57.5	43.8	52.0	39.9	47.4	Low	Chrysler 2.5l Turbo
73.9	56.2	66.8	51.3	60.9	Low	-
45.8	34.8	41.4	31. elo	37.8	Low	-
45.8	34.8	41.4	31. elo	37.8	Low	-
45.8	34.8	41.4	31. elo	37.8	Low	-

34.3	26. tammi	31.0	23. elo	28. maalis	Low	-
36.9	28. tammi	33.3	25. kesä	30. huhti	Low	-
41.9	31.9	37.9	29. tammi	34.6	Low	-
36.6	27. elo	33.1	25. huhti	30.2	Low	-
42.9	32.6	38.7	29. elo	35.3	Low	Chrysler v6-3.8l
42.9	32.6	38.7	29. elo	35.3	Low	-
45.2	34.4	40.8	31.4	37.3	Low	-
39.0	29. heinä	35.3	27. tammi	32.2	Low	-
36.9	28. tammi	33.3	25. kesä	30. huhti	Low	-
36.9	28. tammi	33.3	25. kesä	30. huhti	Low	-
76.3	58.1	69.0	53.0	62.9	Low	Chrysler 2.5l Flex Fuel
76.3	58.1	69.0	53.0	62.9	Low	Chrysler
119	91.1	108	83.1	98.7	Low	-
-	-	-	-	-	Low	-
37.5	28. touko	33.9	26.0	30. syys	High	GM v6- 3.8l, v8- 5.0l, Holden v6-3.8l, v8-5.0l, HSV v8- 5.0l, Toyota v6- 3.8l
37.9	28. elo	34.3	26. maalis	31. maalis	High	Audi 4- 2.0l, VW 4-1.8l
37.9	28. elo	34.3	26. maalis	31. maalis	High	VW 1.8l
47.1	35.8	42.6	32.7	38.8	High	VW 1.8l
-	-	-	-	-	-	BMW 4- 1.8l
47.3	36.0	42.8	32.8	39.0	High	-
60.6	46.2	54.8	42.1	50.0	High	Ford v6- 3.8l SC

61.8	47.0	55.8	42.9	50.9	High	Ford v6-3.8l SC
49.3	37.5	44.6	34.2	40.7	High	Ford Truck 8-7.5l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	GM v6-3.8l
28. elo	21. syys	26.0	20.0	23. elo	High	Audi 4-2.8l, v6-2.6l, v6-2.8l
28. elo	21. syys	26.0	20.0	23. elo	High	-
59.2	45.1	53.5	41.1	48.8	High	-
59.2	45.1	53.5	41.1	48.8	High	-
36.4	27. heinä	32.9	25. maalis	30.0	High	Dodge Truck v6-3.9l
36.4	27. heinä	32.9	25. maalis	30.0	High	Dodge Truck v6-3.9l
44.1	33.5	39.8	30. kesä	36.3	High	Chrysler v6-3.8l, Dodge Truck v6-3.9l
44.1	33.5	39.8	30. kesä	36.3	High	Chrysler v6-3.8l, Dodge Truck v6-3.9l
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	VW 6-2.8l
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Ford Truck 6-4.0l
58.3	44.4	52.7	40.5	48.1	High	-
58.6	44.6	53.0	40.7	48.3	High	-
56.7	43.2	51.2	39.4	46.8	High	Dodge v6-3.0l, Pontiac v6-3.8l
33.3	25. maalis	30. tammi	23. tammi	27. huhti	Low	-
36.6	27. elo	33.1	25. huhti	30.2	Low	-

27. maalis	20. elo	24. heinä	18. syys	22. touko	High	Ford 1.9l, 2.3l, 6-4.9l
27. maalis	20. elo	24. heinä	18. syys	22. touko	High	Ford 1.9l, 2.3l, 6-4.9l
38.3	29.2	34.6	26. kesä	31.6	High	-
57.7	43.9	52.2	40.1	47.6	-	Ford v6- 3.8l SC
49.0	37.3	44.3	34.0	40.4	-	Ford v8- 5.0l, Truck 8-7.5l
66.5	50.6	60.1	46.2	54.8	High	Audi 5-2.2l Turbo, Porsche
50.5	38.5	45.7	35.1	41.7	High	-
-	-	-	-	-	-	VW v6- 2.8l
36.2	27. touko	32.7	25. tammi	29. elo	High	-
33.9	25. elo	30. kesä	23. touko	27. syys	High	VW 2.0l
33.9	25. elo	30. kesä	23. touko	27. syys	High	-
42.9	32.6	38.7	29. elo	35.3	High	Chrysler v6-3.8l, Dodge Truck v6- 3.9l
42.9	32.6	38.7	29. elo	35.3	High	Chrysler v6-3.8l, Dodge Truck v6- 3.9l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	Holden v6-3.8l, v8-5.0l, HSV v8- 5.0l, Toyota v6- 3.8l
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
35.8	27. helmi	32.3	24. elo	29. touko	High	-
35.8	27. helmi	32.3	24. elo	29. touko	High	-

42.5	32.4	38.5	29. touko	35.1	High	Chrysler/Dodge/Plymouth 4-2.0l
42.5	32.4	38.5	29. touko	35.1	High	-
68.7	52.3	62.1	47.7	56.7	High	Ford v6-3.8l SC
68.7	52.3	62.1	47.7	56.7	High	-
84.9	64.6	76.7	58.9	70.0	-	-
45.2	34.4	40.8	31.4	37.3	High	-
42.5	32.4	38.5	29. touko	35.1	High	-
37.7	28. heinä	34.1	26. helmi	31. tammi	High	Holden v6-3.8l, v8-5.0l, HSV v8-5.0l, Toyota v6-3.8l
58.4	44.5	52.8	40.6	48.2	High	-
40.7	31.0	36.8	28. maalis	33.6	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
37.9	28. elo	34.3	26. maalis	31. maalis	High	-
37.9	28. elo	34.3	26. maalis	31. maalis	High	-
40.0	30. touko	36.2	27. elo	33.0	High	-
40.0	30. touko	36.2	27. elo	33.0	High	-
33.9	25. elo	30. kesä	23. touko	27. syys	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
36.9	28. tammi	33.3	25. kesä	30. huhti	High	-
66.5	50.6	60.1	46.2	54.8	High	-
74.1	56.4	67.0	51.4	61.1	High	-
29.0	22. tammi	26. helmi	20. tammi	23. syys	High	Citroen 4-1.6l
41.1	31. maalis	37.2	28. kesä	33.9	High	-
33.9	25. elo	30. kesä	23. touko	27. syys	High	-

33.9	25. elo	30. kesä	23. touko	27. syys	High	-
48.5	36.9	43.8	33.7	40.0	High	-
21. helmi	16. helmi	19. helmi	14. heinä	17. touko	High	-
21. touko	16. huhti	19. touko	14. syys	17. elo	High	-
25. huhti	19. maalis	22. syys	17. kesä	20. syys	High	-
19. huhti	14. elo	17. touko	13. touko	16.0	High	-
42.5	32.4	38.5	29. touko	35.1	High	-
42.5	32.4	38.5	29. touko	35.1	High	-
-	-	-	-	-	-	Saab 4-2.3l
-	-	-	-	-	-	Jaguar v12-5.3l, v12-6.0l
-	-	-	-	-	-	Saab 4-2.1l
66.6	50.7	60.2	46.2	54.9	-	Saab 2.3l Turbo
-	-	-	-	-	-	Porsche 4-3.0l
-	-	-	-	-	-	Ferrari v8-3.5l
-	-	-	-	-	-	Bentley v8-6.8l, R R v8-6.8l
-	-	-	-	-	-	M B 6-3.2l
-	-	-	-	-	-	M B 4-1.8l, 4-2.0l, 4-2.2l, 4-2.3l, 6-2.8l, 6-3.6l
40.1	30. touko	36.3	27. syys	33.1	-	Citroen 4-2.0l, Peugeot 4-2.0l
-	-	-	-	-	-	M B v8-4.2l, v8-5.0l
-	-	-	-	-	-	M B v12-6.0l

-	-	-	-	-	-	VW 4-2.0l, 5-2.5l
-	-	-	-	-	-	Citroen v6-3.0l, Peugeot 6-3.0l
38.4	29.2	34.7	26. heinä	31. heinä	-	Volvo
-	-	-	-	-	-	Chrysler 4-2.4l, Dodge 4- 2.0l
-	-	-	-	-	-	Holden v6-2.5l, Saab v6- 2.5l, v6- 3.0l
-	-	-	-	-	-	Mitsubishi v6-3.0l
-	-	-	-	-	-	Ford v6- 4.0l
50.2	38.2	45.4	34.9	41.4	High	GM v6- 3.8l
-	-	-	-	-	-	M B 4- 1.8l, v6- 2.4l, v6- 2.8l
38.4	29.2	34.7	26. heinä	31. heinä	-	Volvo 5- 2.5l, 6-3.0l
-	-	-	-	-	-	Saab 4- 2.3l Turbo
-	-	-	-	-	-	Saab 4- 2.0l Turbo
-	-	-	-	-	High	M B 4-1.4, 4-1.6l
-	-	-	-	-	-	Ferrari v12-4.7l
-	-	-	-	-	-	M B 6- 2.8l, v6- 3.6l
60.6	46.2	54.8	42.1	50.0	-	Volvo 5- 2.3l Turbo, 5-2.5l Turbo
67.3	51.2	60.8	46.7	55.5	-	Volvo 5- 2.3l, 5-2.3l Turbo

-	-	-	-	-	-	Alfa Romeo 4- 2.0l
28. elo	21. syys	26.0	20.0	23. elo	High	Holden v6-3.8l
-	-	-	-	-	-	Volvo 5- 2.3l Turbo, 5-2.5l Turbo
-	-	-	-	-	High	BMW 1- 0.7l, 4- 1.1l, 4- 1.2l, Mitsubishi v6-3.0l
-	-	-	-	-	-	VW 4-2.0l
-	-	-	-	-	High	Citroen 4- 1.6l
-	-	-	-	-	-	Citroen 4- 1.4l
-	-	-	-	-	-	Citroen 4- 2.0l, Peugeot 4-2.0l
-	-	-	-	-	-	Ford 4- 1.8l
28. elo	21. syys	26.0	20.0	23. elo	High	Ford v8- 5.0l
-	-	-	-	-	-	Alfa Romeo 4- 2.0l
-	-	-	-	-	-	BMW v8- 3.5l, v8- 4.4l, v8- 4.6l
-	-	-	-	-	-	Ford 4- 2.0l
-	-	-	-	-	-	Volvo 5- 2.3l Turbo
64.3	48.9	58.1	44.6	53.0	High	Volvo 5- 2.4l, 5-2.4l Turbo, 2.5l Turbo, 6- 2.8l Turbo
-	-	-	-	-	-	Volvo 6- 3.0l
-	-	-	-	-	-	M B v8- 4.3l

28. syys	22.0	26. tammi	20. tammi	23. elo	High	Ford v6-4.0l
-	-	-	-	-	-	Ford v6-2.5l
69.7	53.1	63.0	48.4	57.5	High	Holden v6-3.8l SC, HSV v6-3.8l SC
-	-	-	-	-	-	Ferrari v8-3.5l
-	-	-	-	-	-	MG 4-1.8l, Rover 4-1.8l
33.0	25. helmi	29. syys	22. syys	27. maalis	High	HSV v8-5.7l LS1
-	-	-	-	-	-	Audi 4-1.8l Turbo
74.3	56.5	67.1	51.6	61.3	High	VW
41.7	31. elo	37.7	29.0	34.4	High	Audi 4-1.8l Turbo
27. huhti	20. elo	24. elo	19.0	22. kesä	High	Ford v8-5.0l
-	-	-	-	-	-	Audi v8-4.2l
57.7	43.9	52.2	40.1	47.6	High	Holden v8-5.7l LS1, HSV v8-5.7l LS1
59.6	45.4	53.9	41.4	49.2	High	-
-	-	-	-	-	-	Audi v8-4.2l
-	-	-	-	-	-	Citroen v6-3.0l, Peugeot 6-3.0l
59.6	45.4	53.9	41.4	49.2	High	Porsche 6-3.4l, 6-3.6l
33.0	25. helmi	29. syys	22. syys	27. maalis	High	-
-	-	-	-	-	-	M B v6-2.6l
-	-	-	-	-	-	Saab 4-2.0l
-	-	-	-	-	-	Saab 4-2.0l, 4-2.3l Turbo

-	-	-	-	-	-	MG 4-1.8l, Rover 4- 1.8l
-	-	-	-	-	-	BMW 1- 0.7l
-	-	-	-	-	-	Citroen 4- 1.6l, Peugeot 4-1.6l
-	-	-	-	-	-	Alfa Romeo v6-3.2l
-	-	-	-	-	-	Alfa Romeo v6-2.5l
-	-	-	-	-	-	Holden v6-2.6l
-	-	-	-	-	-	BMW 6- 3.2l
60.9	46.4	55.1	42.3	50.3	-	VW
-	-	-	-	-	-	Audi 4-1.8l
-	-	-	-	-	-	Audi 4-1.8l
54.3	41.3	49.1	37.7	44.8	-	VW 4-1.8l
-	-	-	-	-	-	M B v6- 3.2l
40.9	31.2	37.0	28. huhti	33.8	High	-
-	-	-	-	-	-	Ford 6- 4.0l, 6-4.0l Turbo
40.9	31.2	37.0	28. huhti	33.8	High	-
-	-	-	-	-	-	KIA 4-1.5l
-	-	-	-	-	-	KIA 4-1.8l
-	-	-	-	-	-	KIA v6- 2.5l
-	-	-	-	-	-	Volvo 4- 2.0l
-	-	-	-	-	-	Saab 4- 2.0l, 4-2.0l Turbo
-	-	-	-	-	-	Peugeot 6-2.7l, Volvo v6- 2.7l

-	-	-	-	-	-	BMW 4-1.8l
-	-	-	-	-	-	BMW 4-2.0l, Volvo 4-2.1l
-	-	-	-	-	-	M B 4-2.3l, 6-2.6l, 6-2.7l, 6-3.0l, 6-3.8l, 8-4.5l, 8-5.0l, 8-6.8l
-	-	-	-	-	-	Peugeot 4-2.2l, Saab 4-2.0l
-	-	-	-	-	-	Peugeot 6-2.7l, Porsche 4-2.0l, Volvo v6-2.7l, v6-2.8l
-	-	-	-	-	-	Audi 4-1.6l, 4-1.7l, 5-2.2l, 5-2.2l Turbo, BMW 2.0l, Porsche 4-2.0l, 4-2.0l Turbo, Volvo 4-2.1l, 4-2.3l, VW 4-1.5l, 4-1.6l, 4-1.7l, 4-1.8l, 5-2.2l
-	-	-	-	-	-	Peugeot 4-2.0l
-	-	-	-	-	-	Peugeot 6-2.8l, Volvo v6-2.8l

-	-	-	-	-	-	Audi 4-1.8l, 5-2.2l, VW 4-1.5l, 4-1.6l, 4-1.7l, 4-1.8l, 5-2.2l
-	-	-	-	-	-	Audi 4-2.0l, 4-2.2l, 4-2.2l Turbo, 4-2.3l, Bentley, VW 4-2.0l
-	-	-	-	-	-	Audi 4-1.8l, Bentley
-	-	-	-	-	-	Audi 4-2.2l, 4-2.2l Turbo, Bentley, VW 4-1.8l, 4-2.2l
-	-	-	-	-	-	Bentley
-	-	-	-	-	-	Ferrari 8-3.0l, 8-3.2l, v12-4.8l, M B 4-2.3l, 6-2.6l, 6-2.7l, 6-3.0l, 6-3.8l, 8-4.5l, 8-5.0l, 8-6.8l
-	-	-	-	-	-	Holden 6-3.0l, Nissan 6-2.4l, 6-2.8l, 6-3.0l
-	-	-	-	-	-	Nissan 4-2.0l, v6-3.0l
-	-	-	-	-	-	Nissan 4-1.5l

353	269	319	245	291	Low	-
353	269	319	245	291	Low	-
83.4	63.5	75.4	57.9	68.8	-	-
115	87.7	104	80.0	95.0	-	-
153	116	138	106	126	-	-
156	119	141	108	128	-	-
153	116	138	106	126	-	-
215	163	194	149	177	-	-
50.2	38.2	45.4	34.9	41.4	High	-
50.2	38.2	45.4	34.9	41.4	High	-
70.0	53.3	63.3	48.6	57.8	High	-
70.0	53.3	63.3	48.6	57.8	High	-
94.8	72.2	85.7	65.9	78.2	High	-
94.8	72.2	85.7	65.9	78.2	High	-
41.7	31. elo	37.7	29.0	34.4	High	-
125	95.7	113	87.3	103	High	-
96.8	73.7	87.5	67.2	79.8	High	-
96.8	73.7	87.5	67.2	79.8	High	-
74.5	56.7	67.3	51.7	61.4	High	-
74.5	56.7	67.3	51.7	61.4	High	-
83.5	63.5	75.5	58.0	68.8	-	-
161	123	146	112	133	-	-
156	118	141	108	128	-	-